Patient Education

For Healthy Weight loss special offers for retail Do You Know The Long Term Effects Of

Web Based Health Videos For Website &

DURATION/

Ads by Google

Ads by Google

DATE

Health Portals. Educate Patients!

Bipolar Medication Effect

Psychiatric Drugs? Free Info Kit



Drug Ratings for LIPITOR

Rate LIPITOR

Average Rating: 2.1 (39

Ratings)

Compare LIPITOR with similar: HYPERLIPIDEMIA HYPERLIPIDEMIA

AFINITOR® Therapy

Int'l MDs: Read Indication for Once-Daily AFINITOR® (everolimus)

Patient Education

Web Based Health Videos For Website &

AFINITOR® Therapy

AFINITOR® (everolimus)

Original Green coffee 800

Int'l MDs: Read Indication for Once-Daily

Ads by Google

and wholesale

Health Portals. Educate Patients!

FDA Warnings and Alerts for LIPITOR

RATING	REASON	SIDE EFFECTS	COMMENTS	SEX	AGE	DOSAGE	ADDED
₩.				<u>F</u> <u>M</u>	₩▲	₩.Α.	₩ ▲
1	mildly elevated total cholesterol	developed parkinson's disease. discovered thru 23andme DNA profiling I possess a mutation in a gene, SLCO1B1, that codes a transport protein responsible for moving statins into the liver to be detoxified. Studies have noted patients with greatly incrased plasma statin levels (>134% and AUCs more than 400% ABOVE NORMAL) toxic levels indeed.	The neurological damage I have suffered due to toxic levels of lipitor seems to be permanent. Nothing I have tried has reversed the extreme symptoms. in the beginning megadoses of coenzyme Q10 did help; that was 6 yrs ago. the deterioration continues. the slco1b1 mutation IS NOT rare, occurring in 26-34% of caucasian poulation, less in african am, and more in Asian pop. seems many individuals with the mutation(s) develop severe myalgias and myopathies, prompting discontinuance of the statin. for those of us who did not suffer the muscle dmaage, neurodegeneration is what occurs in my opinion. Am aware of 7 other indicviduals who feel they are sufferring same effects as I from a fat soluble statin	M	66	4 years 10 mgm per 1X D	11/19/2010

BACK TO TOP

 $\textbf{Page:} \ \ \underline{1} \ \underline{2} \ \underline{3} \ \underline{4} \ \underline{5} \ \underline{6} \ \underline{7} \ \underline{8} \ \underline{9} \ \underline{10} \ \underline{11} \ \underline{11} \ \underline{13} \ \underline{14} \ \underline{15} \ \underline{16} \ \underline{17} \ \underline{18} \ \underline{19} \ \underline{20} \ \underline{21} \ \underline{22} \ \underline{23} \ \underline{24} \ \underline{25} \ \underline{26} \ \underline{27} \ \underline{28} \ \underline{29} \ \underline{30} \ \underline{31} \ \underline{32} \ \underline{33} \ \underline{34} \ \underline{35} \ \underline{36} \ \underline{37} \ \underline{38} \ \underline{39}$

Ada by Canada Cida Effonta of CDAD Co O10 Cida Effonta Coy and Cida Effonta Dationt Oniniona Effector Drug

© Copyright 2011, Askapatient.com

1 of 3 08/4/2011 10:55 PM

Read More On:



2 of 3 08/4/2011 10:55 PM

powered by RightHealth

3 of 3